Online Labs for Schools

OLabs- Windows Installer Manual

Steps to install OLabs

Step 1: Double-click on "**OLabs-6-8-Windows-v2.2**" to start the installation. Refer Figure 1.



Figure: 1 *OLabs Install exe file*

Step 2: If Windows UAC(User access control) setting is **ON** then it will show you the following message box as shown in the screenshot. Click on **YES** to continue the installation. Same message box will be shown when you start and stop the OLabs. Click **Yes** to continue. (How to start and stop OLabs is mentioned in Step-8)



Figure: 2 *User Account Control*

Step 3: Click on the "**Next**" button to proceed.



Step 4: Click on the "**I Agree**" button if you agree with the license terms.



Step 5: Components that will be installed are listed in this window. Click on the "**Next**" button to proceed.



Step 6: Select the destination folder(recommended to keep as it is) and click on the "**Install**" button to proceed.



Step 7: After clicking on the "**Install**" button, installation will start. And the window below will show up. It might take time to install.



Step 8: After installation is completed, click on the "**Finish**" button to complete the installation process.

Online Labs for Schools

You can launch OLabs directly after installation by selecting "**Launch OLabs**" before clicking on the "**Finish**" button. If you select Launch OLabs checkbox then OLabs website will be launched in your default browser as shown in the second screen shot of this step.





Step 9: If your machine's Windows firewall is ON, at that time while launching the OLabs for the very first time, you may see the following 3 windows back to back asking for allow access. Just click on "**Allow access**". (This step will come into picture if your firewall protection is ON and it will come only for the first time. If not, then simply skip this step.)



Step 10: After successful installation two shortcuts "**OLabs Startup 6-8**" and "**OLabs Stop 6-8**" will be created on the desktop.

How to start/stop OLabs?

To start OLabs – Double click on the "**OLabs Startup 6-8**" icon on the desktop.
OLabs will open in the default browser. You can use this just like you use the online website of OLabs.

To stop OLabs – Once you are done with using OLabs, double click on the "**OLabs Stop 6-8"** icon on the desktop.

NOTE: Once OLabs starts, three command windows will open. These command windows will remain minimized. **DO NOT close any of these command windows** or else OLabs will not work properly.

Online Labs for Schools



Note: The installation process is the same for all the classes. After installation of all 3 installers 3 shortcut menus for classes **OLabs Startup 6-8**, **OLabs Startup 9-10**, and **OLabs Startup 11-12** will be available as shown in the screenshot below.



If C++ not installed on the system then below screens will appear

Step 1: Click on the “Next” button.



Step 2: Click on the install button



Step 3: The C++ library takes some time to install. Kindly wait.



Step 4: Click on the finish button.



Step 5: CLick on "**allow"** if below screens appear


Windows Security
Do you want to allow public and private networks to access this app?
Windows Firewall has blocked some features of mysqld on all public and private networks.
mysqld
Publisher Unknown
Show more
Allow
Cancel


Windows Security
Do you want to allow public and private networks to access this app?
Windows Firewall has blocked some features of Java(TM) Platform SE binary on all public and private networks.
Java(TM) Platform SE binary
Publisher Oracle Corporation
Show more
Allow
Cancel

Online Labs for Schools

Steps to Uninstall OLabs

1. Type "**Control Panel**" in the search bar on the desktop.
2. Click on the "Control Panel".



3. Click on the **"Uninstall programs"**.



Online Labs for Schools

4. Right click on the OLABS application shown in the programs.



5. click on "**Uninstall**"



Online Labs for Schools